

PPG NPC 가 “ ”

(Electro Lysis) (Electro Phoresis), (Electro Deposition),
(Electro Endosmosis)

90% , 73 (Cation) 가 가

PPG가 62.5% , Dupont
22.0%, BASF 14.7%
PPG가 60% , Hoechst 19%,
BASF 13%, ICI 8% PPG
Nippon Paint가 63%
가
Kansai Paint가 26% ,
Shinto Paint 7%, PPG 4%

< 1> (1991) (:100 , %)

				가(kg)		
		13,000	46.4	3,700	Hoechst	
		500	10.0	3,500	"	
		9,000	32.2	3,700	Nippon Paint	
		6,000	21.4	3,700	PPG	
					Kansai	
		3,500	70.0	3,500		
		1,000	20.0	3,500		
		28,000	100.0			
		5,000	100.0			

Nippon Paint Kansai Paint, Shinto Paint 96%
가 가
PPG · BASF · Dupont

280 , 50 330
91 , 280 46.4% 130 가

가 32.2% 90 , 21.4% 60 가
 50 70% , 20%
 10 , 10% 5
 가




< 2> (:Tank)

	1,130	477	1,607
	688	367	1,055
	733	124	857
		166	166

3700 , 3500 가 3600 kg
 ,
 Hoechst ,
 Nippon Paint
 ,
 PPG ,

50 70% 79
 1 5 , 85 4
 , 1130 , 477
 1607 , 688 , 367 1055
 , 733 , 124 857 , 166
 , 가 , 1
 5.3kg, 1.8kg , 2.0kg

< >



가 가 가 가 ,
 가

Body

Heming Edge

가 (Frane) FIAT가 가 1 1 ~2

가 가 가 가 FORD
63 , 61 FORD Body , 73
가 가 가 1974 GM
Body Body 가 75 , 79

< 1992/12/1 >