

< >

()

가
「
」
· SM
Up-
Down
93
TPA

< 1>

(:1000 /)

	1990		1991		1992	
		700 555		700 555		700 555
				350 350 350 250		350 350 350 250
						350 350
		125 5000		255 5000		325 5000

< 2>

1991	1992	1993	1994	1995
-20%	+5%	+18%	+18%	+18%

1.

70 86 6 「
」
, 86 7 88 11
, 88 11 (.
) 90
80 가 89 1 6000 , 90 3 1000 , 91 2
3000 7 가 .
(+)
(,) 가
, 91 , 93

2,

■ (.) : 가 90 125 5000 92 325
5000 93 18%
Up-Down 2
Down , (270 , 39%) (9 3000 , 17%) 4 Up-

■ (PE · PP · PS · ABS · PVC): 80 가 ,

가 91
, 46.2%(92) 15.4%

94

가 10%

< 3>

(:1000 , %)

	1991	1992	1993	1994	1995
	4,232	5,057	5,307	5,307	5,307
	3,381	4,279	4,540	4,815	5,076
()	(2,421)	(2,719)	(2,934)	(3,157)	(3,367)
()	(960)	(1,560)	(1,606)	(1,658)	(1,709)
	42.8	46.2	44.7	40.5	36.6
	20.1	15.4	14.5	9.3	4.3

)

< 4>

(:1000 , %)

		1991	1992	1993	1994	1995
LDPE		577	762	862	862	862
	:	396	446	491	540	581
		71	232	238	246	253
		19.1	11.0	15.4	8.8	3.2
HDPE		840	1,053	1,113	1,113	1,113
	:	433	487	536	588	635
		219	381	392	404	416
		22.4	17.6	16.6	11.3	5.6
P P		1,005	1,260	1,340	1,340	1,340
	:	527	578	628	680	736
		241	424	436	450	463
		23.6	20.5	20.6	15.7	10.5
PS/ABS		1,175	1,292	1,302	1,302	1,302
	:	553	623	699	779	846
		328	418	430	443	456
		25.0	19.4	13.4	6.1	—
PVC		635	690	690	690	690
	:	512	585	580	575	569
		101	105	110	115	121
		3.4	—	—	—	—
		4,232	5,057	5,307	5,307	5,307
	:	2,421	2,719	2,934	3,157	3,367
		960	1,560	1,606	1,658	1,709
		20.1	15.4	14.5	9.3	4.3

) (): 91 , 92~95 KIET 가

: 92 , 93~95 92 3% 가

■ (TPA · EG · · AN): TPA

30%

(120 /) (70 /) . AN
(Sohio) , EG , .

< 5>

(:1000 , %)

		1991	1992	1993	1994	1995
TPA		1,160	1,210	1,240	1,240	1,250
		1,100	1,200	1,320	1,450	1,590
		5.2	0.8	-6.5	-16.9	-27.2
E G		230	380	380	380	380
		500	540	590	640	690
		-117	-42	-55	-68	-81
		80	80	80	80	270
		263	280	290	310	330
		-228	-250	-262	280	-22
A N		89	89	89	89	89
		250	260	270	280	290
		-180	-192	-203	-214	-225
		1,559	1,759	1,789	1,789	1,989
		2,113	2,280	2,470	2,680	2,900
		-35	-29	-38	-49	-45

< 7>

(:100)

	1990 (A)	1992 (B)	(B-A)
	1,175	2,300	1,125
	3,315	2,850	465
	2,140	550	1,590

< 6>

(:%)

	1991	1992	1993	1994	1995
SBR	15	9	5	1	-3
B R	36	32	24	17	9
NBR	0	-10	-18	-40	-60
	22	17	11	5	-0.4

< 8>

(.)	95 가
(. .)	가
(SM)	95 가
(PE · PP · PS · ABS)	Up-Down 가
(BR · SBR · NBR)	95 93 가
() (TPA)	가

■ (SBR · BR · NBR): 20% , 95

8

6 93 Up-Down

LDPE, HDPE, PP, PS/ABS 5

3.

: 80

Up-Down

(20

)

가

가

「92

」

가

:

가 94

, 92 ~ 93

15%

가

91 96

92 156

, 가

(50 /)

가 가

91 60

가

92 100

, 91 10

92 35

GSP(10

, 91 4 5000

92 6

가

가

가

()