80%

, **Electro-0580** ... 5 2000

5 IT
 가 IMT-2000
 가 가
 5 IT 80% 2001
 Electro-0580 10 18
 IMT-2000 , , Post-PC
 () 가
 () , 가
 ()
 Electro-0580 2001 2006 5 1250 , 750 2000
 () 가
 가 250
 24 51 , , 3가
 Life-cycle

Electro-0580 _____ (2001)

1.	()
2.	Poly-Si Sputter ()
3.	Back Light ()
4.	IC ACF ()
5.	()
6.	가 Reflective LCD ()
7.	(20) STN LCD Module ()
8.	가 () Development of Self-driven Micro Total Analysis System (μ TAS)
9.	()
10.	()
11.	3 I/O ()
12.	- ()
13.	()
14.	()
15.	motor ()

16.	가	()
17.	Micro Powder Injection Molding(μ PIM)	()
18.		()
19.		()
20.	1/ 14" CIF color CMOS Image Sensor ISP	()
21.	System-on-a-Package-based-Information PCB	()
22.	Fault Tolerant Real Time Network (TTP/ C) Chip Set	()
23.	가	()
24.	array	()
25.	Field Bus Actuator	()
26.		()
27.		()
28.	PSK RF	()
29.	()	()
30.		()
31.		()
32.	가 chip set	()
33.	HDTV LCOS Color Engine Chipset	()
34.		()
35.	MEMS Milli-meter wave MCM	()
36.	140GHz Millimeter Wave Image sensor	()
37.		()
38.	Dual Band	()
39.	Embedded passives type RF Organic PCB	()
40.	Tunable	()
41.	ISM VCO	()
42.	glass antenna pre-amplifier IC	()
43.		()
44.	RF-ID	()
45.	-	()
46.	QoS XoIP(Voice/ Data/ Video)	()
47.	SOHO Port security V2oIP	()
48.	AV Unlimited	()
49.	DVB-MHP	()
50.		()
51.	Station-on-a-chipset	()

가 5
()

가
가가

가 , 가 , 가 1-3 가
, TIC (Cluster) 가
가 Electro-0580 IT 80%
IT 2000 5 (2003-07) 120 가
가 ,
, (10 18 -11 9) (11 3 -11 9) 2001

<Chemical Daily News 2001/10/25>