

2240

2001 7 204 .
가 12 20

51

(: , %)

33

Global Sourcing

365

(: 100)

83

1

2 35 2001 75
 2240 3
 , 11 2 2002 1
 , 2001 185 가 2002 1/4
 2010 50 2

2 (35)
 (: 100)

()		624	3 17	600	1,541
()		2,730	1,744	1,100	5,575
()	PDP	1,653	1,23 1	700	3,584
()		1,275	427	900	2,602
()	Water-marking chip	544	843	500	1,887
()	3	900	300	700	1,900
()	50 μ m refractive/ diffractive micro lens array micro lens	1,562	798	1,000	3,360
()		887	3 11	70 1	1,899
()	CCD On-Chip ASIC	585	623	300	1,508
()	TFT-LCD	300	100	300	700
()	Advanced Lithium Battery	1,739	60 1	4,000	6,340
()	HDTV Image Processing VLSI	1,373	800	600	2,773
()		709	242	950	1,90 1
()	AL	1,106	477	900	2,483
()		997	566	450	2,0 13

()	PI CCL	536	179	750	1,465
()	L- (L-RIBOSE)	4 19	457	70 1	1,577
()	980nm 가	1,473	1,473	800	3,745
()	PC	1,05 1	77 1	300	2,122
()	RF Chip Inductor 1005(0402) type	1,054	699	550	2,302
	IMT - 2000 AAL2/5 Translation Processor	1,003	70 1	900	2,604
()	PCS/IMT 2000 Coarse WDM device	200	200	520	920
()	EPS(Embedded Pattern Substrate) BGA	1,250	530	750	2,529
()	5GHz Access Point	608	608	900	2,115
()		1,10 1	1,227	600	2,928
FCI()	SAW GPS/IMT - 2000/ Cellular, PCS CDMA Receiver MMIC MCM	1,383	703	9 10	2,995
()	(Polyphosphate)가	588	2 16	400	1,204
()	()	2,097	1,157	1,000	4,254
()	/ 가	393	393	3,100	3,886
()	Polysilicon TFT LCD Chipset	520	553	300	1,373
()		1,452	1,426	600	3,478
()	Nano Class Metal Fiber	2,177	1,09 1	1,100	4,368
()	LCD Front Light System	90 1	586	450	1,937
()*	1	1,653	1,653	-	3,306

*

< Chemical Daily News 2001/ 12/ 21 >