

# 20.2%

, 11 8 8300

... 1-11 75 4200

2001 11 6 500 20.2%, 8 8300  
 15.1%  
 , 11 124 2100 17.1%, 115 5800  
 18.4% 8 6300  
 7 , 가 7 -21.1%,  
 9 -17.7%, 10 -20.7%, 11 -17.1% . 10  
 D 가 2001 11 가 3/4  
 , XP , EU,  
 가 11 13 6 6000 12.0% 가 ,  
 51% . EU 2 4000 7.9% 가 .  
 가 , 16.0%  
 LDPE 가 2000 9 785 2001 3 670 , 9 610 , 10 590 , 11 540  
 .  
 가가 31% 25.9% . 가 2000 11 32.68  
 2001 11 22.54 , 2660 1970 .  
 2001 10 26.5% 11 17.1% , 21.9% 20.0% , 27.0%  
 15.3%

가 ( : %)

	2000	2001.1/4	2/4	3/4	2001.11	2001.1-11
	34.0	1.1	7.2	11.1	22.9	8.8
( )	(50.8)	(53.2)	(53.3)	(52.1)	(50.9)	(52.5)
	35.8	7.8	24.9	25.5	18.4	19.7
( )	(40.0)	(37.4)	(35.5)	(36.1)	(37.1)	(36.6)
	26.7	5.4	4.1	4.8	9.0	5.0
( )	(9.3)	(9.3)	(11.2)	(11.8)	(12.0)	(11.0)
	34.0	2.0	13.4	15.5	18.4	11.9

, 2001 11 115 6000 18.4% 4 8 2  
 가 . 1-11 11.9% .  
 가 4 -16.0% 5 -13.1%, 6 -11.0%, 7 -18.9%, 8 -15.5%, 9 -12.0%,  
 10 -18.3%, 11 -18.4% .  
 가 2000 14.3 2001 1/4 14.1, 2/4 4.8, 3/4 9.2, 10 13.9  
 , 2000 18.9 2001 1/4 2.4 2/4 7.9, 3/4 5.4,  
 10 4.4 .

42 8000      18.4%      ,      가

58 8000      22.9%      .

13 9000      9.0%      가      ,      49 4000      27.0%

66 2000      10.4%      .

( : 100 , %)

	2000			2001					
				11.1-30		1-11			
	172,268	19.9	100.0	12,421	-17.1	138,617	-11.9	100.0	
	139,262	25.2	80.8	10,071	-18.1	111,680	-12.1	80.6	
○	12,755	27.2	7.4	883	-15.1	10,590	-9.0	7.6	
-	9,407	34.1	5.5	605	-20.2	7,542	-12.1	5.4	
○	9,257	62.1	5.4	509	-40.3	7,455	-11.6	5.4	
○	7,629	10.4	4.4	521	-14.2	6,232	-11.3	4.5	
○	1,828	1.0	1.1	126	-25.3	1,441	-13.9	1.0	
○ .	68,318	28.5	39.7	4,829	-19.8	49,046	-21.9	35.4	
-가	7,535	18.5	4.4	579	-4.1	6,404	-8.3	4.6	
-	34,548	23.2	20.1	1,703	-41.5	20,009	-37.3	14.4	
.	26,015	38.0	15.1	1,070	-50.2	13,388	-44.3	9.7	
-	24,152	41.8	14.0	2,371	2.9	20,561	-6.5	14.8	
.	8,173	49.9	4.7	1,232	37.2	9,068	23.6	6.5	
.	14,525	40.9	8.4	997	-22.1	10,117	-24.3	7.3	
○	7,155	30.4	4.2	543	-8.6	6,634	1.9	4.8	
○	1,298	30.3	0.8	95	-28.2	1,151	-0.2	0.8	
○	13,217	18.3	7.7	1,303	3.2	12,301	2.7	8.9	
-	11,896	19.3	6.9	1,200	4.2	11,116	3.0	8.0	
○	8,229	9.9	4.8	553	-34.2	8,758	24.1	6.3	
	28,170	8.0	16.4	1,959	-14.0	23,214	-10.3	16.7	
○	2,724	13.2	1.6	209	-10.7	2,291	-8.1	1.7	
○ .	1,421	-4.3	0.8	120	1.4	1,301	0.0	0.9	
○ 가 .	1,495	12.4	0.9	96	-19.7	1,278	-7.8	0.9	
○	18,410	7.8	10.7	1,213	-17.1	14,573	-14.0	10.5	
-	1,540	9.3	0.9	99	-12.9	1,185	-16.9	0.9	
-	6,043	3.7	3.5	395	-14.6	4,801	-13.5	3.5	
-	9,968	9.4	5.8	669	-17.8	7,948	-13.4	5.7	
○	799	0.0	0.5	56	-16.7	647	-11.0	0.5	
○ .	205	22.4	0.1	19	2.0	165	-12.7	0.1	
1	4,836	-24.3	2.8	391	-6.9	3,723	-15.6	2.7	

( : 100 , %)

	2000			2001				
				11.1-30		1-11		
	160,481	34.0	100.0	11,558	-18.4	129,792	-11.9	100.0
	81,496	34.0	50.8	5,882	-22.9	68,093	-8.8	52.5
	64,135	35.8	40.0	4,284	-18.4	47,458	-19.7	36.6
	14,851	26.7	9.3	1,392	9.0	14,242	5.0	11.0
○	<b>11,449</b>	<b>13.8</b>	<b>7.1</b>	<b>1,029</b>	<b>5.3</b>	<b>10,590</b>	<b>1.1</b>	<b>8.2</b>
-	8,395	13.3	5.2	705	-0.6	7,604	-0.9	5.9
.	1,889	1.1	1.2	147	-7.9	1,653	-3.9	1.3
-	1,653	11.6	1.0	164	16.1	1,508	-1.2	1.2
-	1,400	19.9	0.9	161	26.3	1,478	16.2	1.1
○	<b>33,018</b>	<b>44.0</b>	<b>20.6</b>	<b>2,110</b>	<b>-36.3</b>	<b>26,923</b>	<b>-11.0</b>	<b>20.7</b>
-	25,216	70.6	15.7	1,520	-42.6	20,050	-13.0	15.4
-	5,052	-11.3	3.1	316	-24.4	4,171	-11.4	3.2
○	<b>29,384</b>	<b>37.6</b>	<b>18.3</b>	<b>2,335</b>	<b>-16.0</b>	<b>25,820</b>	<b>-3.2</b>	<b>19.9</b>
-	7,516	22.8	4.7	567	-11.5	6,305	-8.6	4.9
-	10,246	77.8	6.4	795	-27.9	9,059	-0.8	7.0
○	<b>4,683</b>	<b>23.4</b>	<b>2.9</b>	<b>410</b>	<b>2.7</b>	<b>4,393</b>	<b>1.4</b>	<b>3.4</b>
-	1,517	5.5	0.9	115	-6.1	1,307	-7.0	1.0
-	1,424	15.5	0.9	96	-15.9	1,135	-13.3	0.9
-	1,581	62.0	1.0	186	25.8	1,801	22.7	1.4
○	<b>12,080</b>	<b>22.2</b>	<b>7.5</b>	<b>907</b>	<b>-6.7</b>	<b>9,490</b>	<b>-15.7</b>	<b>7.3</b>
-	6,858	28.0	4.3	524	3.0	5,307	-17.3	4.1
-	2,459	18.2	1.5	200	-9.5	2,137	-6.2	1.6
○	<b>22,452</b>	<b>33.1</b>	<b>14.0</b>	<b>1,433</b>	<b>-15.5</b>	<b>17,090</b>	<b>-17.6</b>	<b>13.2</b>
-	9,946	30.1	6.2	634	-8.8	7,238	-21.9	5.6
-	7,017	53.7	4.4	360	-36.6	4,970	-22.1	3.8
-	2,115	28.3	1.3	186	7.7	2,054	5.5	1.6
.	155	107.7	0.1	19	62.3	225	61.9	0.2
-	963	9.4	0.6	51	11.8	642	-28.8	0.5
○	<b>44,913</b>	<b>35.6</b>	<b>28.0</b>	<b>3,083</b>	<b>-19.5</b>	<b>33,031</b>	<b>-20.0</b>	<b>25.4</b>
-	13,358	72.8	8.3	863	-15.6	9,534	-22.7	7.3
-	26,701	22.3	16.6	1,853	-22.7	19,485	-20.4	15.0
.	20,039	24.2	12.5	1,346	-25.2	14,501	-21.1	11.2
- 가	1,682	45.3	1.0	152	1.7	1,582	4.1	1.2
-	2,698	31.6	1.7	187	-9.4	2,144	-13.9	1.7

&lt; Chemical Daily News 2001/ 12/ 27 &gt;