

# MDI

Isocyanate)) 92 ( ) MDI(Methylene Bis (4-Phenyl  
 2 HD 2 가 MDI 8 MDI  
 92 MDI 4 9000 MDI 2 9000  
 2 51%가 , 26%가  
 23%가 NON-FOAM

MDI ( : M/T, %)		1992	1993	1994	1995( )
		29,000	50,000	72.4	69,000 38.0 85,000 23.2
		29,000	38,000	31.0	56,000 47.4 69,000 23.2
		-	11,000		15,000 36.4 15,000 0.0
		29,000	49,000	69.0	71,000 44.9 84,000 18.3
		2,000	3,000	50.0	4,000 33.3 5,000 25.0
		20,000	19,000	5.0	12,000 36.8 9,000 25.0
		49,000	57,000	16.3	68,000 19.2 78,000 14.7

\* 1) +

MDI ( ) ( : M/T, %)		1993		1994		1995( )	
PMDI		12,500	22	14,300	21	15,200	19
		3,250	6	4,400	6	5,400	7
		3,750	6	4,900	8	6,000	8
		15,000	26	18,600	27	21,900	28
		34,500	60	42,200	62	48,500	62
MMDI/MOD.MDI		14,200	25	17,750	26	20,000	26
		5,630	10	5,250	8	6,000	8
		2,670	5	2,800	4	3,500	4
		22,500	40	25,800	38	29,500	38
		57,000	100	68,000	100	78,000	100

MDI

18%

3

94 MDI 6 8000 19% 가 MDI  
 6 9000  
 4 2000 2 7500 , 1 4500  
 2 4000 HD 7500

MDI ( : M/T)		1994	1995	
		40,000	50,000	
		-	30,000	1995. 11
HD		-	-	
		40,000	80,000	
		40,000	50,000	
		20,000	30,000	1995. 11
HD		20,000	20,000	
		80,000	100,000	

92 8000  
 1 2000  
 . 95 MDI  
 7 8000  
 7  
 9000  
 가 CFC  
 가,

MDI 95 1 5  
3 , HD 2 10

97 , MDI 5 97 1/4 MDI 8

가

MDI 가 94 1/4 MMDI가 1900 , PMDI가 130  
가 가 가 95 4/4  
MMDI가 2700 , PMDI 180

< 96 >