

<PTA>

PTA Polyester “ ”

PTA(Purified Terephthalic Acid) 가 가

Polyester PET ET PET Film 가 가 92 가 91

Polyester Polyester 7% 96% 가 SKI

95 25 50%

가 가 14 PTA PTA가

가 15% 95 92 3 3

PTA Polyester 141 96

218 3

PTA 93 60 23 , 22

, 20 , 10 , 135

PTA		(: 1000)						
	1993		1994		1995		1996	
T e c n o n P C I	1,480	1,300	1,480	1,480	1,805	1,580	2,330	1,750
	1,311	1,414	1,311	1,763	1,549	2,044	1,550	2,250
	1,100	1,156	1,100	1,204	1,200	1,256	1,350	1,503
	1,300	1,283	1,400	1,458	1,590	1,651	2,000	1,777

: : = + PCI : : (25)

PTA 91 56 6000 92 58 3000

, 91 20 9000 92 20 6000 , 9 600

16 2000 , SKI 18 22 5000 91 105 1000 , 92 117 6000

3 5 125

91 11 6000 92 12 4000 가 9

PTA (: 1000)			
	1991	1992	1993()
S K I	566	583	585
	209	206	246
	90	162	200
	180	225	225
	116	124	100
	1161	1300	1356

PTA (: 1000)						
	1992	1993	1994	1995	1996	1997
	815	815	815	815	1,205	1,615
	225	225	250	2,520	375	500
	225	225	475	475	475	725
	—	1,380	1,380	1,805	2,380	2,380
	—	—	—	—	—	50

: PCI

91 100 , 5 2000 113 5000 , 92 119 5000 ,
6 9000 , 126 4000 91 11% 가 . 92 10% 140

. 96 가 90% 207 가 , 7 214 230

, Polyester 가 Polyester 75% Polyester

P-X (: 1000)					
		1992	1993	1994	1995
		239	250	306	360
		216	216	220	300
		140	140	140	140
		595	606	666	790
	S K I	415	422	422	580
		192	207	207	207
		147	154	154	154
		102	134	134	134
		856	917	917	917
		261	311	252	127

80 PTA 96 120 , 97 160 Polyester

PTA , 92 143 , 280 143 2600
82 , 63 5000 가 146 86 61
91 100 9000 , 49 5000 가 150 , 92 91
29% 130 23% 38 , 7% 160 9000

92 81 96 Amoco Liao Yang Petrochemical
 120
 92 22 5000 94 25 , 96 37 5000 ,
 93 22 5000 94 5000 , 97 72 5000

PTA (: 1000)								
	1992		1993		1994		1995	
/	2,080	1,714	2,090	1,765	2,120	1,808	2,090	1,812
	400	309	410	351	410	383	420	417
	915	635	950	755	1,000	882	1,010	1,025
	60	159	65	170	65	179	65	240
	310	908	415	1,069	865	1,204	1,220	1,315
	2,890	3,521	3,410	3,813	3,480	4,052	3,750	4,260
	1,400	802	1,400	816	1,420	849	1,420	906
	8,055	8,058	8,740	8,739	9,360	9,357	9,975	9,975

: Tecnon

94 138 95 180 ,
 96 230
 209 176 가 32 98
 340 381 40
 95 51 , 98 40 94 900
 882 가 27
 847 874 , 94 936 935 7000

Polyester PTA
 25 96 8 6 18
 Tecnimont S.P.A , 1600
 15 70
 PTA 19 95 Polyester 200 ,
 26 40% P-X 17 60%,
 PTA 가
 60 95 5 25 , 85
 P-X
 3 5 96 6 20 ,
 94 15

P-X

P-X(Para-Xylene) , 95

P-X 92 61 5000 91 1000 30 ,

95 PTA

P-X 92 25 , 22 , 16 54 ,

30

41 , 16 92

95

P-X (:)						
		SKI				
	7,700	139,000	—	—	13,000	232,000
	65,000	—	119,000	—	23,000	213,000
	30,000	—	—	110,000	—	141,000
	243,000	53,000	28,000	2,000	—	326,000
	415,000	192,000	147,000	102,000	36,000	586,000

Polyester (:)			
Polyester	800	300	1994.4
	715	100	1995.6
	620	150	1995.3
	530	200	1995.1
	500	70	1993.9
	430	150	1994.9
	340	70	1994.10
	240	70	1993.9
	200	70	1994.9
S K C	100	100	1994.6
	4,475	1,280	—

P-X

P-X 가 P-X 가

가 480

BTX MX PX

25 94 30 5000 95 35

22 95 30

7 7000 , 6 5000 , 3

24

95 가

94 PTA 93 DMT 6 3000 100 95

120 , 96 140

10% Polyester 가 100% 90% 6

94 300 4500 가 800

530 95 250 , 620 95 150

95 550 가 , 715 95 900 , 550

Polyester . SKC가

가

80 10% 90 7.8%

95 5%

, Chip 16 1700 25 가

2

< 1993/7/5>